





Garden machinery is only as good as the support that comes with it, which is why we have a fully trained customer care team to assist our Mitox® dealers with all queries they may have on Mitox machinery.



Mitox® products are available from your local approved garden machinery specialists, chosen for their expert knowledge and service skills. You can find your local Mitox® approved dealer by visiting www.mitox.co.uk.



In addition to testing in a controlled environment, every new Mitox® model is tested for performance and durability by professional users before launch, ensuring dependability in the harshest conditions.



ABOUT US



Mitox® was introduced into the UK in 2005 and has since become one of the fastest growing and trusted garden machinery brands, earning popularity with homeowners and landowners who recognise the outstanding quality and value for money that Mitox® products deliver.

Mitox® products are available throughout the UK and Ireland via a network of over 300 approved specialist dealers. Mitox® approved dealers have the knowledge and experience to help you choose the correct product for your needs, and will also provide expert after-sales assistance when your machinery requires servicing. Mitox® dealers are supported by a comprehensive, industry leading spare parts service with all spare parts typically delivered within 24 hours.

The Mitox® range of garden machinery continues to evolve and now includes a quality selection of grass trimmers, brushcutters, hedge trimmers, long reach hedge trimmers, multi-tools, pole pruners, chainsaws, wood splitters, blower vacs and much more.

All Mitox® products benefit from the latest technology in their design and manufacture, providing excellent ergonomics, outstanding performance and efficiency. Engineered for durability, all Mitox® products feature a comprehensive homeowner warranty as standard.

At Mitox® we aim to exceed our customers' expectations in providing reliable, value for money, powerful products, which continue to earn the Mitox® brand its excellent reputation.

Find out more online at www.mitox.co.uk

or follow us on Facebook:



facebook.com/MitoxGM

"MITOX® was built upon a set of core values.

MITOX® offers unrivalled value for money,
excellent performance and full aftersales
support."





SELECT



Mitox® SELECT provides a range of entry-level garden machines at great value for money. Durable and reliable, Mitox® SELECT machines are supplied with a 3 year* warranty and unlike many entry-level garden tools, have full spare parts support.

*Subject to annual service
(SP models feature a 1 year warranty)

Mitox® PREMIUM provides a range of quality garden machines with extra features for more demanding users. With lower vibration levels, improved ergonomics and helpful features, such as easy start systems, PREMIUM machines are for users demanding more and feature a 5 year* domestic warranty.

*Subject to annual service





CHOOSING THE RIGHT MACHINE FOR THE TASK AT HAND...

From a small selection of handheld garden equipment the Mitox® range has, over the last 10 years, developed into a comprehensive collection of quality, durable and excellent value for money garden machinery.

The Mitox® range is divided into two distinct series: SELECT and PREMIUM to assist you in choosing the right machine for your requirements.

Whether you are an occasional user looking for a quality, reliable tool for infrequent jobs around the garden or a landowner who needs something for more demanding tasks, the Mitox® range is designed to offer a solution for every requirement.

Advanced technologies and innovations featured on Mitox® products, retains the core values that the initial Mitox® range was founded: Quality, Performance and Value.

Need more information?

Find your local dealer at **www.mitox.co.uk**



QR CODES

Using your smart phone or tablet, scan the QR codes located by the products you're interested in. You will then be taken to the product pages



on our web site where you can find more information on the machine.



GRASS TRIMMERS & BRUSHCUTTERS

Mitox® brushcutters are all engineered to withstand tough challenges and to increase operator comfort, with high-quality heat-treated drive gears, solid steel drive shafts for durability over a long working life and efficient anti-vibration systems to reduce operator fatigue.

26L 270LX 360UX 25C-SP 25C 26L-SP 26U 43U 270UX 460UVX

Light homeowner use

Regular use - home/landowner



The Mitox® SELECT Series offers durable, value for money grass trimmers and brushcutters for homeowner use. (Including SP Models)

PREMIUM Series

16

The Mitox® PREMIUM Series offers a range of powerful brushcutters with advanced features for heavy duty homeowner, farm or landowner use.

Specification Chart

20



SP SELECT GRASS TRIMMER & BRUSHCUTTER SERIES



FULL CRANK ENGINES

Providing superior performance, lower vibration and longer service life, when compared to half crank (single bearing) engines, commonly used on low cost domestic garden machinery.



SIMPLE STARTING

The MITOX® engine features a primer bulb and choke for a simple starting procedure. Simply press the primer 7 times, turn the choke on and pull the recoil. Once the engine fires, turn off the choke and pull the recoil again to start the engine.



EASY STORAGE

Both models feature a split shaft design with a robust aluminium coupling for easy storage and transportation.



LOOP HANDLE

The 25C-SP and 26L-SP feature a loop handle for ease of use in trimming or edging positions. The 26L-SP also features a 'J' bar to protect the user when the 3 tooth blade is fitted.



BUMP FEED HEAD

The auto bump feed nylon head supplies more trimmer line when it is required - simply tap the head on the ground when it is spinning to release more line.



ERGONOMIC CONTROLS

The handles are designed for comfort, even over extended working periods. The solid triggers reduce the risk of damage, ensuring a long working life.



25C-SP SELECT

Art No: MIBC100

Simple grass trimmer for the domestic gardener

The 25C-SP is a quality grass trimmer powered by a 25.4cc engine. With a choke and primer bulb, starting the engine is simple - and when the trimming work is done, the clever split-shaft system allows the 25C-SP to be easily separated in two for convenient transport and storage.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	Loop
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
N/A	Ø 2.0mm	40:1	5.0m/s ²	5.6kg

26L-SP SELECT Art No: MIBC101

Value brushcutter for the domestic gardener

The 26L-SP is a great value trimmer / brushcutter with a nylon cutting head and 3-tooth metal blade. With ergonomic handles, and a reliable simple to start engine, the 26L-SP is easy and comfortable to use. Many features and a choice of cutting attachments make the 26L-SP the perfect choice for those who need a simple, entry level product they can trust.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	Loop
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth	Ø 2.4mm	40:1	5.2m/s ²	6.4kg





AUTO CHOKE SYSTEM

The choke control features set positions for cold and hot starting and automatically returns to idle when the throttle is pulled.



RELIABLE ENGINES

High performance, low emission engines, reduce fuel consumption, increase operator comfort and reduce running costs. All compliant to the latest emissions legislation.



BUMP FEED HEAD

The auto bump feed nylon head supplies more trimmer line when it is required - simply tap the head on the ground when it is spinning to release more line.



ANTI-VIBRATION SYSTEM

All models are fitted with extra anti-vibration measures to reduce vibration transmitted to the users hands and arms, making extended periods of use more comfortable.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



ERGONOMIC SOFT GRIP CONTROLS

The soft grip handles are designed for user comfort, even over extended periods of work. The padded inserts further increase comfort and reduce vibration.



25C SELECT

Art No: MIBC80

Quality grass trimmer for the domestic gardener

The 25C is a quality grass trimmer powered by a 25.4cc SELECT engine. With clear starting instructions on the side cover and a user-friendly auto-choke return system, starting the engine couldn't be simpler - and when the trimming work is done, the clever split-shaft system allows the 25C to be easily separated in two for convenient transport and storage. Ideal for light trimming work.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	25.4cc	0.75 kW	0.60 litres	Loop
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
N/A	Ø 2.0 mm	40:1	5.3m/s ²	5.7kg

26L SELECT

Art No: MIBC81

Enhanced brushcutter for the domestic gardener

The 26L is a quality trimmer / brushcutter with a nylon cutting head and heavier duty metal tri-blade. With ergonomic soft grip handles with anti-vibration, easy starting with instructions and auto-choke return, the 26L is both easy and comfortable to use. With quality features and a choice of cutting attachments, the 26L is the perfect choice for the domestic user. Ideal for smaller areas, edging and intricate work around trees.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	25.4cc	0.75 kW	0.60 litres	Loop
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	4.8m/s ²	6.3kg



Art No: MIBC82

Quality all round brushcutter for domestic gardeners

The 26U is a quality brushcutter with bike handles, nylon cutting head and heavier duty metal tri-blade. With ergonomic, fixed soft grip handles and easy starting system with starting instructions and auto-choke return, the 26U is both easy and comfortable to use. With quality features and a choice of cutting heads, the 26U is the perfect brushcutter for the domestic user. Ideal for clearing open areas and banks.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	25.4cc	0.75kW	0.60 litres	Bike
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	5.5m/s ²	6.5kg



Powerful quality brushcutters for farm / landowners

The 43U is a quality brushcutter with bike handles, nylon cutting head and heavier duty metal tri-blade. The 43U is the most powerful brushcutter in the SELECT range, yet still retains optimal ergonomics and ease of use. With starting instructions, auto-choke return system, and anti-vibration system, the 43U is ideal for those tougher tasks.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	42.7cc	1.25kW	1.00 litre	Bike
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	4.3m/s ²	8.2kg





PREMIUM BRUSHCUTTER SERIES



AUTO CHOKE SYSTEM

The choke control features set positions for cold and hot starting and automatically returns to idle when the throttle is pulled.



EFFORTLESS STARTING

The effortless Soft Start recoil system reduces the force needed to start the engine to a gentle pull - even with just two fingers.



USER COMFORT

The ergonomically shaped handles, with soft grip inserts, provide comfort over extended periods of use, and are fully adjustable to suit the operator's needs. Also, our bike handles feature a position for storage & transport.



HEAVY DUTY GEARBOX

All models in the PREMIUM range are equipped with heavy duty gearboxes with heat treated gears. This ensures high levels of performance and durability even in the harshest of conditions.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty* on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



PREMIUM ENGINES

The powerful PREMIUM range engines offer an exceptional power to weight ratio allowing any task to be tackled with ease. Well balanced and versatile, yet with up to 60% more power than the previous generation.



270LX PREMIUM

Art No: MIBC121

Premium, versatile brushcutter for domestic gardeners and landowners

The 270LX is a premium quality straight shaft trimmer / brushcutter and is equipped with a Japanese Walbro carburettor for optimum reliability. At 1.00kW, this is our most powerful model with a loop handle. This extra power makes the 270LX adept at clearing thicker grass and weeds, as well as smaller trimming tasks, where a neat and accurate finish is required.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	27.2cc	1.00kW	0.70 litres	Loop
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	5.84m/s ²	5.7kg

270UX PREMIUM

Art No: MIBC12

Premium quality brushcutter with extra power for domestic gardeners and landowners

The 270UX is a premium quality 27.2cc brushcutter with bike handles, nylon cutting head and 3-tooth metal tri-blade. With a choice of cutting head and premium features, the 270UX is a perfect brushcutter for the more demanding domestic user or landowner.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	27.2cc	1.00kW	0.70 litres	Anti-Vibration Bike
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	5.94m/s ²	5.9kg

360UX PREMIUM

Art No: MIBC125

A powerful premium quality brushcutter for farm / landowners

The 360UX is a premium quality brushcutter with bike handles, nylon cutting head and 3-tooth metal tri-blade. The powerful engine makes this brushcutter suitable for heavier work on larger properties and farms for more demanding tasks, yet still retains optimal ergonomics and ease of use, with easy starting, auto-choke return system and anti-vibration systems.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	36.3cc	1.60kW	1.0 litres	AV Bike
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	5.18m/s ²	8.2kg

460UVX PREMIUM

Art No: MIBC129

Our most powerful premium quality brushcutter for farm / landowners

The 460UVX is a premium quality brushcutter with bike handles, nylon cutting head and 3-tooth metal tri-blade. This is the most powerful brushcutter in the PREMIUM range with a 46.5cc engine producing 1.95kW of power. Auto-choke and premium anti-vibration systems mean the 460UVX is ideal for the most demanding tasks.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Handle Type
Air Cooled 2-Stroke	46.5cc	1.95kW	1.0 litres	Full AV Bike
Metal Blade	Trimmer Line	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
255mm, 3 tooth HD	Ø 2.4mm	40:1	4.17m/s ²	8.7kg



GRASS TRIMMER / BRUSHCUTTER > Specifications



				90	
MODEL	25C-SP	25C	26L-SP	26L	
Range	SELECT	SELECT	SELECT	SELECT	
Part Number	MIBC100	MIBC80	MIBC101	MIBC81	
Service Code	25C-SP	25C-a	26L-SP	26L-a	
Engine	Mitox®	Mitox®	Mitox®	Mitox®	
Displacement	25.4cc	25.4cc	25.4cc	25.4cc	
Power	0.75kW	0.75kW	0.75kW	0.75kW	
Carburettor	Mitox®	Mitox®	Mitox®	Mitox®	
Weight	5.6kg	5.7kg	6.4kg	6.3kg	
Sound Level	112dB(A)	113dB(A)	112dB(A)	113dB(A)	
Vibration Level ¹	5.0m/s ²	5.4m/s ²	5.2m/s ²	4.8m/s ²	
Spark Plug	Mitox®	Mitox®	Mitox®	Mitox®	
Auto Choke	-	•	-	•	
Trimmer Line Ø	2.0mm	2.0mm	2.4mm	2.4mm	
Cutter Head	Auto Bump Feed	Auto Bump Feed	Auto Bump Feed	Auto Bump Feed	
Metal Blade	-	-	•	•	
Single Strap Harness	-	-	•	•	
Premium Single Strap Harness	-	-	-	-	
Twin Shoulder Harness	-	-	-	-	
Premium Twin Shoulder Harness	-	-	-	-	
Recoil Assist	-	•	-	•	
Handle Type	Loop	Loop	Loop	Loop	
Transport Mode	-	-	-	-	
Premium Anti Vibration Handles	-	-	-	-	
Split Shaft	•	•	•	-	
Tube Diameter	26mm	26mm	26mm	26mm	
Driveshaft Diameter	7mm	7mm	8mm	8mm	
Fuel / Oil Mixture	40:1	40:1	40:1	40:1	
Fuel Tank Capacity	0.65L	0.60L	0.65L	0.60L	
Warranty (dom/com)	1 Yr / 90 Days	3 Yr / 90 Days	1 Yr / 90 Days	3 Yr / 90 Days	

All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)

 $[\]bullet = \mathsf{Included}$

⁻⁼ Not Included

GRASS TRIMMER / BRUSHCUTTER > Specifications





*		-			•
270LX	26U	270UX	360UX	43U	460UVX
PREMIUM	SELECT	PREMIUM	PREMIUM	SELECT	PREMIUM
MIBC121	MIBC82	MIBC122	MIBC125	MIBC85	MIBC129
270LX	26U-a	270LX	360UX	43U-a	460UVX
Mitox®	Mitox®	Mitox [®]	Mitox®	Mitox [®]	Mitox®
27.2cc	25.4cc	27.2cc	36.3cc	42.7cc	46.5cc
1.00kW	0.75kW	1.00kW	1.60kW	1.25kW	1.95kW
Mitox®	Mitox®	Mitox [®]	Mitox®	Mitox®	Mitox®
5.7kg (dry)	6.5kg	5.9kg (dry)	8.2kg	8.2kg	8.7kg
112dB(A)	113dB(A)	112dB(A)	114dB(A)	113dB(A)	114dB(A)
5.8m/s ²	5.5m/s ²	5.9m/s ²	5.1m/s ²	4.3m/s ²	4.1m/s ²
Champion	Mitox®	Champion	Champion	Mitox®	Champion
•	•	•	•	•	•
2.4mm	2.4mm	2.4mm	2.4mm	2.4mm	2.4mm
Auto Bump Feed	Auto Bump Feed	Auto Bump Feed	Premium Auto Bump Feed	Auto Bump Feed	Premium Auto Bump Feed
•	•	•	•	•	•
-	-	-	-	-	-
•	-	-	-	-	-
-	•	-	-	•	-
-	-	•	•	-	•
•	•	•	•	•	•
Loop	Bike	Bike	Bike	Bike	Bike
-	-	•	•	-	•
-	-	•	•	-	•
-	-	-	-	-	-
26mm	26mm	26mm	26mm	28mm	28mm
8mm	8mm	8mm	8mm	8mm	8mm
40:1	40:1	40:1	40:1	40:1	40:1
0.70L	0.60L	0.70L	1.00L	1.00L	1.00L
5 Yr / 90 Days	3 Yr / 90 Days	5 Yr / 90 Days	5 Yr / 90 Days	3 Yr / 90 Days	5 Yr / 90 Days

All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)

^{• =} Included

^{- =} Not Included



MULTI-TOOLS & ATTACHMENTS

The Mitox® multi-tool system offers total versatility in the garden, whether trimming and edging the lawn, cutting hedges or pruning trees, a multi-tool is the cost effective way to achieve it all, requiring the investment of just a single power unit. Our 26 MT-SP model is perfect for homeowners looking for a great value tool for light domestic gardening tasks. For larger and more demanding gardening jobs the attachments of the 28MT offer advanced features for improved durability.

26MT-SP 28MT

Light homeowner use

Regular use - home/landowner



SP SELECT Series 26

The Mitox® SELECT 'SP' model offers simple, durable, value for money components for homeowner use.

SELECT Series 27

The Mitox® SELECT Series offers advanced features such as a fully adjustable 7 position pole pruner attachment, which makes pruning safer and easier.

Specification Chart 2





ONE TOOL MULTIPLE OPTIONS

Each multi-tool is supplied complete with a range of attachments, enabling you to complete almost any garden task with ease.



RELIABLE ENGINES

The MITOX® engine features a primer bulb and choke for a simple starting procedure. Simply press the primer 7 times, turn the choke on and pull the recoil. Once the engine fires, turn off the choke and pull the recoil again to start the engine.



ALUMINIUM COUPLING

Both models feature a split shaft design with a robust aluminium coupling for easy storage and transportation.



EASY STORAGE

The power unit and each of the attachments can be split and stored or transported individually, saving space in your car, shed or garage.



REDUCED COSTS

By providing multiple applications from a single power unit, a multi-tool offers significantly lower purchase, running and maintenance costs, when compared to owning individual machines.



ERGONOMIC CONTROLS

The handles are designed for comfort, even over extended working periods. The solid triggers reduce the risk of damage, ensuring a long working life.





Grass Trimmer / Brushcutter Attachments

The attachments include a bump feed twin cord nylon cutter head for trimming grass and light material with ease. The heavy duty 3 tooth tri-blade is designed for use in heavier growth and brush.



Pruner Attachments

The pruner attachments are extended chainsaws with a 10" cutter bar and chain. Perfect for pruning tree branches and with the addition of the extension shaft (excludes SP), even the highest branches are within reach. The 28MT includes our ADVANCED pruner attachment which features an innovative adjustable 7 position articulation, to make pruning even safer and easier.



Hedge Trimmer Attachments

The hedge trimmer attachments offer versatility when trimming and cutting hedges of all shapes and sizes. Both models feature blade articulation, which enables the cutting of low hedges and hedge sides, while the added reach allows for the easy maintenance of higher hedge tops, without the need for a ladder.



Extension Shaft

The extension shaft is recommended for use with the powered pruner and hedge trimmer attachment and adds an additional 1 metre of reach, making even the highest branches safe and easy to maintain, (excludes SP).



Art No: MIMT30

Ideal for every garden task

With hedge trimmer, powered pruner, grass trimmer and brushcutter attachments, the 26MT-SP is ideal for almost any garden task. As with all Mitox® machines, the Mitox® 26MT-SP is designed for durability over extended periods, with heavy duty aluminium components, a 26mm thick drive tube and an 8mm solid steel drive shaft. The 26MT-SP offers a simple to use, low cost option for maintaining your garden.






Engine Type	Displacement	Power Output	Fuel Tank Capacity	Fuel / Oil Mixture	Dry Weight*	
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	40:1	4.5kg	

ATTACHMENTS INCLUDED

ESSENTIAL Hedgetrimmer



Total Blade Length

440mm

Blade Articulation

150°


Dry Weight Fitted

6.7kg

Total Length Fitted

2280mm

ESSENTIAL Grass Trimmer



Nylon Head / Blade

Bump feed / 3 tooth standard

Trimmer Line

Ø 2.4mm

Dry Weight Fitted

6.5kg

ESSENTIAL Powered Pruner



Guide Bar Length

250mm - 10"

Chain Lubrication

Automatic & adjustable

Dry Weight Fitted

6.2kg

Total Length Fitted

2175mm

*Power unit only. All details correct at time of print and are subject to change without notice. E & OE.





Art No: MIMT31

Enhanced features for user comfort

The Mitox® 28MT offers a step up in quality and functionality from the 26MT-SP. With an enhanced anti-vibration throttle control for more comfortable use over longer periods of time, and a quality Mitox® SELECT powerful engine, the 28MT makes more challenging tasks possible. The higher specification of attachments provide greater efficiency whilst the 1 metre extension shaft allows for working at increased heights.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Fuel / Oil Mixture	Dry Weight*
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	40:1	4.6kg

ATTACHMENTS INCLUDED

ADVANCED Hedgetrimmer (MIAT10)

Total Blade Length

580mm

Blade Articulation

180°


Dry Weight Fitted

7.3kg

Total Length Fitted

2440mm

SELECT Grass Trimmer (MIAT20)



Nylon Head / Blade

Bump feed / 3 tooth HD tri-blade

Trimmer Line

Ø 2.4mm

Dry Weight Fitted

6.51kg

ADVANCED Powered Pruner

(MIAT15)



Guide Bar Length

250mm - 10"

Chain Lubrication

Automatic & adjustable

Dry Weight Fitted

6.6kg

Total Length Fitted

2110mm / 3090mm with extension

1M QUICK FIT Extension Shaft (MIEX100)



Length 980mm

Weight

0.72kg

CouplingAluminium

Drive Shaft

8mm

*Power unit only. All details correct at time of print and are subject to change without notice. E & OE.

COMPLETE MULTI-TOOL KITS





MODEL	26MT-SP	28MT
Range	SELECT	SELECT
Part Number	MIMT30	MIMT31
Engine	Mitox®	Mitox®
Displacement	25.4cc	25.4cc
Power	0.75kW	0.75kW
Carburettor	Mitox [®]	Mitox®
Weight (Power Unit only)	4.5kg	4.6kg
Sound Level with Grass Trimmer Attachment	112dB(A)	113dB(A)
Vibration Level ¹ with Grass Trimmer Attachment	3.34m/s ²	5.11m/s ²
Spark Plug	Mitox [®]	Mitox®
Single Strap Harness	•	•
Split Shaft	•	•
Tube Diameter	26mm	26mm
Driveshaft Diameter	8mm	8mm
Fuel / Oil Mixture	40:1	40:1
Fuel Tank Capacity	0.65L	0.65L
Warranty (dom/com)	1 Yr / 90 Day	3 Yr / 90 Day
ESSENTIAL Grass Trimmer	Ø 2.4 mm	-
SELECT Grass Trimmer (MIAT20)	-	Ø 2.4 mm
3 Tooth Blade	•	-
3 Tooth HD Blade	-	•
ESSENTIAL Hedge Trimmer (MIAT12)	•	
ADVANCED Hedge Trimmer (MIAT10)	-	•
Degree of Hedge Trimmer Blade Adjustment	150°	180°
Total Blade Length Cutting Length	440mm 390mm	580mm 515mm
Tooth Pitch / Spacing	32 / 19mm	35 / 22mm
ESSENTIAL Pruner	•	-
ADVANCED Pruner (MIAT15)	-	•
Pruner Adjustment	-	7
SELECT 1 Metre Extension (MIEX100)	-	•

All details correct at time of print and are subject to change without notice. E & OE.

 $[\]bullet = Included$

⁻⁼ Not Included



MULTI-TOOL ATTACHMENTS

Our range of attachments are available so that you can transform your current split shaft Mitox machine into a versatile multi-tool.


Note: Only machines manufactured in 2016 or later with a splined drive shaft are fully compatible with the range of attachments.



HTA Essential Hedge Trimmer Attachment - MIAT12 Blade Length 440mm Articulation / No. of Positions 150°/12 32 / 19mm Tooth Pitch / Spacing Weight When Fitted To Power Unit 6.7kg Total Length When Fitted To Power Unit 2.28m

Scan to view on our website





Scan to view on





EX	A Extension Shaft - MIEX100
	980mm
	Aluminium
	8mm
	0.72kg

Scan to view on our website






BCA Select Trimmer / Brushcutter Attachment - MIAT20									
Nylon Head	Bump Feed								
Trimmer Line	2.4mm								
Blade	3 Tooth HD								
Weight When Fitted To Power Unit	6.5kg								

Scan to view on



ı	PΡ	7	1	Δ	G	va	n	ce	ıdl	P	П	ın	ei	r L	۱	ta	cl	۱n	16	n	Ħ	Н	V	IΙA	T	15	۱



Scan to view on





HEDGE TRIMMERS

All Mitox® hedge trimmers are built to withstand tough challenges, with high-quality blades and powerful long life engines. Mitox® hedge trimmers make working in the garden easy, whether it be light trimming, or the heavier cutting of overgrown hedges. Our products are simple and intuitive to use with a host of user friendly features to make the task easier and more enjoyable. Whenever extra length is needed for taller, or deeper hedges, Mitox® long reach hedge trimmers provide the solution, making this work both easier and safer.

28LH 650DX+ 26LH-SP 600DX 750DX+

Light homeowner use

Regular use - home/landowner



PREMIUM Hand Held Series 34-37

The Mitox® PREMIUM Series offers a range of hedge trimmers with advanced features, for heavy duty homeowner, farm or landowner use.

Specification Chart 38





EASY STARTING

Easy starting thanks to the effortless recoil system, with easy to follow starting instructions clearly laid out on the side cover of the engine.



PADDED FRONT HANDLE

The front handle enables multiple grip positions for work at various angles and heights, whilst reducing vibration and making operation more comfortable.



ARTICULATING BLADES

The blades on the 26LH-SP articulate through 150 degrees for trimming the tops and sides of hedges, whilst the 28LH blades can articulate through 180 degrees for greater versatility.



EASY TRANSPORT & STORAGE

The 26LH-SP and 28LH feature a split shaft design, with a robust aluminium coupling allowing for easy transport and storage of the product.



RELIABLE ENGINES

High performance, low emission engines, reduce fuel consumption, increase operator comfort and reduced running costs. All compliant to the latest emissions legislation.



ERGONOMIC CONTROLS

The throttle controls on the MITOX® long reach hedge trimmer range are ergonomically designed for user comfort, as well as being designed to stand the test of time.



26LH-SP SELECT

Art No: MIHT50

Trim tall hedges safely and quickly

The 26LH-SP enables safe trimming of tall hedges without using a ladder, with an effective reach of over 12ft. The 440mm dual reciprocating blades can be articulated to any position through 150 degrees, leaving the perfect finish on high, low and sides of hedges. The 25.4cc full crank engine offers an optimal power to weight ratio for easy handling.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Blade Type		
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	Double Sided		
Total Blade / Cutting Length	Overall Length	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight		
440mm / 390mm	2280mm	40:1	5.0m/s ²	6.8kg		

28LH SELECT

Art No: MIHT55

Extra flexibility for cutting at height

The 28LH utilises the latest 25.4cc Mitox® SELECT engine and is enhanced by a 580mm dual reciprocating hedge cutter blade assembly. Offering greater flexibility, for more demanding work, the 28LH blades benefit from a greater range of articulation, via an advanced adjustment design for ease of use. The padded rubber front handle provides a comfortable grip and reduces vibration. The split shaft design enables easy storage and transport.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Blade Type
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	Double Sided
Total Blade / Cutting Length	Overall Length	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
580mm / 515mm	2445mm	40:1	5.35m/s ²	7.3kg





EASY STARTING

All Mitox® hedge trimmers are fitted with a primer bulb and manual choke for quick and easy starting every time.



PREMIUM BLADES

Specially designed, hardened, dual reciprocating diamond ground blades offer maximum cutting performance and efficiency, time and time again.



ErgoTwist REAR HANDLE

The rear handle is adjustable through 180 degrees (3 position), offering optimum user comfort in any situation.



SmartPull RECOIL ASSIST

The unique design of the 'SmartPull' recoil, ensures easier pulling and quicker starting. With 'SmartPull' recoil assist, the engine is up to 30% easier to start.



LIGHTWEIGHT FOR COMFORT

The use of lightweight, high quality materials, such as magnesium and aluminium in the engine and transmission, results in an optimal power to weight ratio.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



600DX PREMIUM

Art No: MIHT35

High performance with enhanced ergonomics

The 600DX is a premium quality double sided hedge trimmer, powered by an easy-starting 24.5cc engine. The professional quality, 4-point anti-vibration system effectively isolates the handles from the engine, and combined with the ultra-lightweight design, enables a high work rate with minimal fatigue for the operator. The ErgoTwist rear handle is quickly adjusted for optimal operator comfort during use.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Blade Type
Air Cooled 2-Stroke	24.5cc	0.85kW	0.33 litres	Double Sided
Total Blade / Cutting Length	Tooth Pitch / Spacing	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
610mm / 550mm	35mm / 22mm	40:1	3.6m/s ²	5.5kg







QUALITY COMPONENTS

Including carburettors from world renowned manufacturer Walbro Japan. Ensuring high performance and reliability for years to come.



LASER CUT BLADES

The high quality, laser cut blades, guarantee optimal results and a perfect finish, even on the thickest and toughest hedges.



ErgoTwist REAR HANDLE

The rear handle is adjustable through 180 degrees (3 position), offering optimum user comfort in any situation.



SmartPull RECOIL ASSIST

The unique design of the 'SmartPull' recoil, ensures easier pulling and quicker starting. With 'SmartPull' recoil assist, the engine is up to 30% easier to start.



ANTI-VIBRATION SYSTEM

The 600DX features a specially designed, industry leading 4-point anti-vibration system, to increase user comfort and reduce operator fatigue.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



650DX PREMIUM+

Art No: MIHT15

Optimal performance with low weight and perfect ergonomics

The 650DX+ is a premium quality double sided hedge trimmer, powered by an easy-starting 22.2cc engine fitted with a Walbro Japan carburettor. The professional quality, 4-point anti-vibration system effectively isolates the handles from the engine. The ErgoTwist rear handle is quickly adjusted for optimal operator comfort during use. The blade protectors make working safer and protect the blade tip from damage.









Engine Type	Displacement	Power Output	Fuel Tank Capacity	Blade Type
Air Cooled 2-Stroke	22.2cc	0.65kW	0.44 litres	Double Sided
Total Blade / Cutting Length	Tooth Pitch / Spacing	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
600mm / 550mm	35mm / 22mm	40:1	2.9m/s ²	5.6kg

750DX PREMIUM+

Art No: MIHT16

Optimal performance with a longer blade and perfect ergonomics

The 750DX+ is a premium quality double sided hedge trimmer, powered by an easy-starting 22.2cc engine fitted with a Walbro Japan carburettor. The professional quality, 4-point anti-vibration system, effectively isolates the handles from the engine for optimum user comfort. The 750DX+ has the same ErgoTwist handle as the 650DX+ but features a longer 740mm laser cut trimmer blades.









our website

Engine Type	Displacement	Power Output	Fuel Tank Capacity	Blade Type
Air Cooled 2-Stroke	22.2cc	0.65kW	0.44 litres	Double Sided
Total Blade / Cutting Length	Tooth Pitch / Spacing	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
740mm / 690mm	35mm / 22mm	40:1	2.9m/s ²	5.8kg

1 Equivalent vibration level (ahv, eq)

HEDGETRIMMER > Specifications



					Market Transport
MODEL	600DX	650DX+	750DX+	26LH-SP	28LH
Range	PREMIUM	PREMIUM +	PREMIUM +	SELECT	SELECT
Part Number	MIHT35	MIHT15	MIHT16	MIHT50	MIHT55
Engine	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
Displacement	24.5cc	22.2cc	22.2cc	25.4cc	25.4cc
Power	0.85kW	0.65kW	0.65kW	0.75kW	0.75kW
Carburettor	Mitox®	Walbro	Walbro	Mitox®	Mitox®
Weight	5.5kg	5.6kg	5.8kg	6.8kg	7.3kg
Sound Level	110dB(A)	110dB(A)	110dB(A)	108.4dB(A)	108.7dB(A)
Vibration Level ¹	3.6m/s ²	2.91m/s ²	2.91m/s ²	4.98m/s ²	5.35m/s ²
Spark Plug	Mitox®	Mitox®	Mitox [®]	Mitox [®]	Mitox®
Blade Type	Double Sided	Double Sided	Double Sided	Double Sided	Double Sided
Adjustable Blade Angle	-	-	-	•	•
Degree of Blade Adjustment	-	-	-	150°	180°
Number of Positions for Adjustment	-	-	-	12	11
Tooth Pitch / Spacing	35 / 22mm	35 / 22mm	35 / 22mm	32 / 19mm	35 / 22mm
Total Blade / Cutting Length	610 / 550mm	600 / 550mm	740 / 690mm	440 / 390mm	580 / 515mm
Total Length	-	-	-	2280mm	2445mm
Auto Choke	•	•	•	-	-
SmartPull	•	•	•	-	•
Anti Vibration System	•	•	•	•	•
Soft Touch Front Handle	-	-	-	•	•
Soft Touch Rear Handle	-	•	•	-	-
Adjustable Angle Rear Handle	3 Position	3 Position	3 Position	-	-
Toolless Filter Cover	•	•	•	•	•
Fuel / Oil Mixture	40:1	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.33L	0.44L	0.44L	0.65L	0.65L
Warranty (dom/com)	5 Yr / 90 Day	5 Yr / 90 Day	5 Yr / 90 Day	1 Yr / 90 Day	3 Yr / 90 Day

All details correct at time of print and are subject to change without notice. E & OE.

1 Equivalent vibration level (ahv, eq)

 $[\]bullet = Included$

⁻⁼ Not Included





CHAINSAWS & POWERED PRUNERS

All Mitox® chainsaws are built to withstand tough challenges. With innovation, performance and reliability guaranteed, we have the perfect model for any homeowner, landowner or farmer looking for a quality and dependable product. For those occasions when pruning is required, the Mitox® 28PP Powered Pruner makes light work of high tree branches.

385CSX 415CSX 455CSX

Light homeowner use

Regular use - home/landowner



PREMIUM Series

42

The Mitox® PREMIUM Series offers advanced features for heavy duty homeowner, farm and landowner use. Magnesium alloy crankcases, enhanced ergonomics and powerful engines fitted with a Walbro Japan carburettor are just some of the reasons to upgrade.

Specification Chart 46

Powered Pruner 48

CS260TX 515CSX





MORE POWER

The Premium series features a higher power output comparable to significantly higher priced premium brands.



EASY ACCESS

The premium quality air filter prevents dust from entering the engine and is easily removed without tools, for routine servicing. The larger chamber increases airflow, for guaranteed performance.



EASY STARTING

385CSX and 415CSX platforms feature a single spring damper system for comfortable starting. The large platform 455CSX and 515CSX feature a durable SmartPull twin spring assist system, reducing effort by approx 30%.



FUEL WINDOW

The rear mounted fuel tank features an integrated window so you can clearly see the fuel level in use, meaning you shouldn't ever run out of fuel.



INTEGRATED TOOLS

The extra wide rear handle base not only protects users hands but also houses an integrated tool with spark plug and chain cover wrench.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



385CSX PREMIUM

Art No: MICS52

A new level of power for homeowner chainsaws

The 385CSX adds a new dimension of power to our most compact size of chainsaw. With over 30% more power from the 38.5cc engine than comparable models. The 385CSX is effortless in operation, thanks to the vibration-limiting, comfortable front handle and soft-grip rear handle, making it a joy to use. Starting is also aided by the recoil assist, which reduces resistance in the starter cord, firing the engine into life with just a gentle pull.









Engine Type	Displacement	Power Output	Carburettor	Bar Manufacturer, Size
Air Cooled 2-Stroke	38.5cc	1.6kW	Walbro Japan	Oregon, 14"
Chain Manufacturer, Pitch / Gauge	Fuel / Oil Mixture	Fuel Tank Capacity	Oil Tank Capacity	Dry Weight
Oregon 91PX, .3/8" LP / .050"	40:1	0.41 litres	0.28 litres	4.65kg (exc. bar & chain)

415CSX PREMIUM

Art No: MICS56

Premium quality and performance from a compact saw

For those looking for a compact, lightweight chainsaw, with a bigger cutting capacity, look no further than the 415CSX. Packed with features, including new ergonomic handles, the effort reducing recoil system, quality Champion brand spark plug and professional grade crankshaft, the 415CSX is our best-performing compact sized chainsaw. Perfect for the demanding user looking for a high quality and value for money chainsaw, for cutting more than just firewood.











Displacement	Power Output	Carburettor	Bar Manufacturer, Size
41.4cc	1.85kW	Walbro Japan	Oregon, 16"
Fuel / Oil Mixture	Fuel Tank Capacity	Oil Tank Capacity	Dry Weight
40:1	0.55 litres	0.26 litres	5.2kg (exc. bar & chain)
	41.4cc Fuel / Oil Mixture	41.4cc 1.85kW Fuel / Oil Mixture Fuel Tank Capacity	41.4cc 1.85kW Walbro Japan Fuel / Oil Mixture Fuel Tank Capacity Oil Tank Capacity

455CSX PREMIUM

Art No: MICS58

Powerful and robust for demanding use

The 455CSX packs a powerful 45cc engine, with 18" Oregon guide bar, ensuring maximum power and performance - when working with tough knotty wood, where a longer guide bar would start to struggle, the 455CSX keeps on cutting. The magnesium alloy crankcase, combined with the 18" guide bar, saves weight and improves balance, making the 455CSX easy to operate in the harshest conditions.





Scan to view on

Engine Type	Displacement	Power Output	Carburettor	Bar Manufacturer, Size
Air Cooled 2-Stroke	45.4cc	1.95kW	Walbro Japan	Oregon, 18"
Chain Manufacturer, Pitch / Gauge	Fuel / Oil Mixture	Fuel Tank Capacity	Oil Tank Capacity	Dry Weight
Oregon 21BPX, .325" / .058"	40:1	0.55 litres	0.26 litres	5.7kg (exc. bar & chain)

515CSX PREMIUM

Art No: MICS60

Extra power when it matters

Sharing the same magnesium alloy crankcase and packed into the same compact frame as the 455CSX, the 515CSX offers a longer 20" Oregon guide bar and even more powerful 50.9cc engine. Despite its power, the 515CSX is surprisingly easy to handle, thanks to its optimised balance, weight-saving features and ergonomic softgrip handles. Perfect for homeowners, landowners and farmers looking for a reliable powerful saw.





OREGON:



STREET CONTRACTOR		
Displacement	Power Output	Carburettor

Engine Type	Displacement	Power Output	Carburettor	Bar Manufacturer, Size
Air Cooled 2-Stroke	50.9cc	2.2kW	Walbro Japan	Oregon, 20"
Chain Manufacturer, Pitch / Gauge	Fuel / Oil Mixture	Fuel Tank Capacity	Oil Tank Capacity	Dry Weight
Oregon 21BPX, .325" / .058"	40:1	0.52 litres	0.25 litres	5.7kg (exc. bar & chain)



CS260TX PREMIUM

Art No: MICS41

Lightweight yet powerful for advanced operators

The CS260TX is a compact, lightweight, top handled chainsaw, which should only be used by trained, competent operators. Its low weight and compact dimensions make it an ideal pruning saw. The toolless access air filter makes on-the-go maintenance easy, whilst the powerful 25.4cc engine, with a Walbro Japan carburettor and 10" Oregon guide bar and saw chain, ensure high performance.









Engine Type	Displacement	Power Output	Carburettor	Bar Manufacturer, Size
Air Cooled 2-Stroke	25.4cc	0.9kW	Walbro Japan	Oregon, 10"
Chain Manufacturer, Pitch / Gauge	Fuel / Oil Mixture	Fuel Tank Capacity	Oil Tank Capacity	Dry Weight
Oregon 91PX, 3/8" LP/ 0.050"	40:1	0.2 litres	0.14 litres	3.2kg (ex bar & chain)

ACCESSORIES

BASIC SAW HORSE

Art No: MISHB

- With serrated edges to grip logs in place when cutting
- Galvanised steel construction for rust protection and long life
- Folds flat for compact transport and storage
- Easy home assembly



SAW HORSE WITH CHAINSAW HOLDER

Art No: MISHH

- One of the safest and quickest ways to cut logs
- Galvanised steel construction for rust protection and long life
- Folds flat for compact transport and storage
- Features measuring bar, ensuring wood is easily cut to the required size every time



ARMACASE

Art No: MIPBC

Protect your chainsaw in any environment with genuine Mitox® accessories.

The ArmaCase offers a robust solution to chainsaw storage and transport.

(Fits 385CSX & 415CSX only)













MODEL	385CSX	415CSX	455CSX	515CSX	CS260TX
Range	PREMIUM	PREMIUM	PREMIUM	PREMIUM	PREMIUM - Arborist
Part Number	MICS52	MICS56	MICS58	MICS60	MICS41
Engine	Mitox®	Mitox®	Mitox®	Mitox®	Mitox [®]
Displacement	38.5cc	41.4cc	45.4cc	50.9cc	25.4cc
Power	1.6kW	1.85kW	1.95kW	2.2kW	0.9kW
Carburettor	Walbro	Walbro	Walbro	Walbro	Walbro
Weight (exc. bar & chain)	4.65kg	5.2kg	5.7kg	5.7kg	3.2kg
Sound Level	114dB(A)	114dB(A)	113dB(A)	113dB(A)	104dB(A)
Vibration Level ¹	7.14m/s ²	4.36m/s ²	6.49m/s ²	6.27m/s ²	9.68m/s²
Spark Plug	Champion	Champion	Champion	Champion	Champion
Bar Length	35cm / 14"	40cm / 16"	45cm / 18"	50cm / 20"	22cm / 10"
Bar Manufacturer	Oregon®	Oregon®	Oregon®	Oregon®	Oregon®
Chain Pitch / Gauge	3/8" LP / .050	3/8" LP / .050	.325 / .058	.325 / .058	3/8" LP / .050
Chain Manufacturer / Type	Oregon® 91PX	Oregon® 91PX	Oregon® 21BPX	Oregon® 21BPX	Oregon® 91PX
Drive Links	53	57	72	78	40
Adjustable Oil Pump	•	•	•	•	•
Single Spring Recoil Damper	•	•	-	-	-
SmartPull Double Spring Assist	-	-	•	•	-
Magnesium Alloy Crank Case	-	•	•	•	-
Anti Vibration System	•	•	•	•	•
Soft Touch Front Handle	-	-	•	•	•
Soft Touch Rear Handle	•	•	•	•	•
Tooless Filter Cover	•	•	•	•	•
Integrated Tool	•	•	•	•	-
Fuel / Oil Mixture	40:1	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.41L	0.55L	0.55L	0.52L	0.2L
Oil Tank Capacity	0.28L	0.26L	0.26L	0.25L	0.14L
Warranty (dom/com)	5 Yr / 90 Day	5 Yr / 90 Day			

All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)

 $[\]bullet = Included$

^{- =} Not Included





3.10 metres (with extension shaft)

SELECT POLE PRUNER



ADVANCED PRUNER HEAD

The 254mm / 10" pruning chainsaw is fitted with proven quality Oregon chain, for optimal cutting perfomance. It also has an innovative articulated 7 position design for easy use.



EASY STARTING

Easy starting thanks to a fuel primer bulb and manual choke. Simply prime and set the choke to closed, then use the recoil starter to fire the powerful 2-stroke engine into life.



AUTOMATIC OILING

The automatic chain lubrication system provides the right amount of oil for the cutting task, whether hard or softwood.



SAFETY FIRST

The long, light weight aluminium shaft, gives the user approximately 5 metres of reach, enabling tall trees to be pruned without the use of a ladder. The 28PP also includes a 1 metre extension for the tallest branches.



PADDED FRONT HANDLE

The front handle allows for multiple grip positions for work at various angles and heights, whilst reducing vibration and making operation more comfortable.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions





28PP SELECT

Art No: MIPP01

Keep tall trees in shape

The Mitox® 28PP is the perfect tool for those tough tree pruning jobs where a chainsaw just won't safely reach. Powered by a 25.4cc full crank, 2-stroke engine and featuring a quality 10" pruning chainsaw, with automatic chain lubrication, the 28PP makes light work of tough pruning jobs. Thanks to its long reach, which enables you to trim branches up to approximately 5m (16ft) in height, there's no need to use ladders to keep trees in shape.

The 28PP also features the ADVANCED pruning head which has a unique articulated head for even easier cutting of high branches.







Engine Type	Displacement	Power Output	Fuel Tank Capacity	Bar Manufacturer, Size
Air Cooled 2-Stroke	25.4cc	0.75kW	0.65 litres	Oregon, 10"
Chain Type, Pitch / Gauge	Overall Length	Fuel / Oil Mixture	Vibration - Highest Axis ¹	Dry Weight
Oregon 91PX, 3/8" LP / .050"	2110mm (3110mm inc extension)	40:1	4.93m/s ²	6.1kg (exc. bar & chain)



WOOD SPLITTERS

All Mitox® wood splitters are designed to make splitting logs both easier, quicker and safer than traditional methods. Whether splitting a small amount of wood in a shed or garage, or a large quantity out on-site, the Mitox® range has a suitable wood splitter for your needs.

41 LSH 66 LSH 801 LSV

Light homeowner use

Regular use - home/landowner



Horizontal Series

52

The Mitox® Horizontal wood splitter range offers a simple to use and compact product for homeowner use. Making splitting logs simple and safer when compared to traditional splitting with an axe and more cost effective than using bought in pre-split logs. Our unique Quicksplit feature allows the splitting ram to be adjusted, so shorter logs are split even quicker.

Vertical Series

54

The Mitox® Vertical wood splitter is suitable for heavy duty use by homeowners and landowners/farmers where large quantities of logs need to be processed, due to the powerful electric motor.

Specification Chart

56



SELECT HORIZONTAL WOOD SPLITTERS



WELL **BALANCED**

The wide log cradle allows you to easily place logs to be split, holding them in place on the splitting beam. Safety is increased as the operator does not need to hold the log in place as it is split.



EASY TRANSPORT

The large transport wheels enable the splitters to be effortlessly moved. Work is more efficient when the splitter is moved closer to the woodpile, saving time and effort when splitting larger quantities of wood.



TWO HANDED OPERATION

The two handed operation with handguard prevents the possibility of the operator's hands being pinched by the splitter. As soon as the switch is released, the pushblock returns to its start position.



QUICKSPLIT **FUNCTION**

When working with shorter logs, Quicksplit saves time by allowing adjustment of the splitting wedge start position, for a faster stroke.



SAFETY CAGE

Mitox® horizontal log splitters are supplied with a safety cage which can be fitted to the log splitter to ensure that the wood splitting area remains isolated and to prevent the log leaving the the machine and causing a potential injury during the splitting process.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



41LSH SELECT

Art No: MILS20

Compact and powerful homeowner wood splitter

The 41LSH is the smallest model in the wood splitter range but still possesses sufficient power for most domestic wood splitting tasks. The 1500W electric motor provides up to 4 tonnes of splitting force whilst the frame allows logs up to 37cm and 25cm wide to be split in seconds with minimal effort - simply depress the two control switches and the reinforced pushblock drives the log into the fixed splitting wedge, slicing it neatly in two.





Туре	Motor	Power Output	Maximum Splitting Force	Splitting Length
Horizontal	230v Electric	1500W	4 tonne	370mm
Cable Length	Stand Included	Dimensions (L x W x H)	Quicksplit	Dry Weight
5 metre	No	100 x 42.5 x 61cm	Yes	44kg

66LSH SELECT

Art No: MILS23

Increased power and splitting capabilities for more demanding jobs

The 66LSH is equipped with a more powerful 2200W motor, providing up to 6.5 tonnes of reliable splitting power and is capable of splitting logs up to 52cm in length. The 66LSH is supplied with a stable stand which can be used to elevate the splitter to a more comfortable working height.





Туре	Motor	Power Output	Maximum Splitting Force	Splitting Length
Horizontal	230v Electric	2200W	6.5 tonne	520mm
Cable Length	Stand Included	Dimensions (L x W x H)	Quicksplit	Dry Weight
5 metre	Yes	116 x 72 x 135cm (inc stand)	Yes	64kg





POWERFUL ELECTRIC MOTOR

With a powerful 3000w electric motor, the Mitox® 801LSV generates up to 8 tonnes of splitting force - more than enough for the most demanding splitting task.




EASY TRANSPORT

The large, easy to grip handles and easy-rolling transport wheels, make Mitox® vertical wood splitters mobile with the minimum of effort. The 5 metre cable gives extra freedom.



QUICKSPLIT FUNCTION

When working with shorter logs, Quicksplit saves time by allowing adjustment of the splitting wedge start position, for a faster stroke.



ADJUSTABLE FOR FLEXIBILITY

The wood grip ensures that the log is held in the correct position during the splitting process. These grips can easily be adjusted making it possible to split wood up to 30cm in diameter.



TWO HANDED OPERATION

The two handed operation, with handguards, prevents the possibility of the operator's hands being pinched. When the handles are released, the splitter returns to its start position.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 3 year homeowner warranty on SELECT products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and condition



801LSV SELECT

Art No: MILS26


For the toughest splitting tasks using electrical power

The 801LSV vertical log splitter is designed to cope with the most demanding workloads in the garden or estate. The 3000W electric motor delivers 8 tonnes of splitting force for efficient wood splitting of logs up to 55cm in length and 30cm wide. The side mounted tables, log retainers and two hand operation ensure safe operation whilst the large transport wheels allow the log splitter to be manoeuvred to and from the working area.





Туре	Motor	Power Output	Maximum Splitting Force	Splitting Length
Vertical	230v Electric	3000W	8 tonne	550 mm
Transport Wheels	Cable Length	Dimensions (L x W x H)	Quicksplit	Dry Weight
Yes	5 metre	85 x 94 x 150cm	Yes	110kg



WOOD SPLITTER > Specifications







MODEL	41 LSH	66 LSH	801 LSV
Range	SELECT	SELECT	SELECT
Part Number	MILS20	MILS23	MILS26
Motor	230V Electric	230V Electric	230V Electric
Power Output	1500W	2200W	3000W
Maximum Splitting Force	4.00 tonne	6.50 tonne	8.00 tonne
Maximum Splitting Length	37cm	52cm	55cm
Maximum Splitting Width	25cm	25cm	30cm
Ram Speed	3.86cm/sec	3.08cm/sec	3.10cm/sec
Ram Reverse Speed	6.44cm/sec	5.29cm/sec	17.30cm/sec
Weight (kg)	44kg	64kg	110kg
Overall Length	100cm	116cm	85cm
Overall Width	42.5cm	72cm	94cm
Overall Height	61cm	135cm	150cm
Transport Wheels	•	•	•
Stand (MILS31)	0	•	-
QuickSplit	•	•	•
Warranty (dom/com)	3 Yr / 90 Days	3 Yr / 90 Days	3 Yr / 90 Days

WOOD SPLITTER ACCESSORIES

LOG SPLITTER STAND

Art No: MILS31

Raise Mitox® log splitters up to an easier working height with this optional stand.



MULTISPLIT WEDGE

Split logs twice as fast with the Mitox® MultiSplit 4-way log splitting wedge.

(Not for use with 41LSH)

MILS30 Horizontal

MILS32 Vertical



• = Optional • = Included

- = Not Included

All details correct at time of print and are subject to change without notice. E & OE.





BLOWERS / VACUUMS

Mitox® blowers and vacuums are perfect for blowing and collecting fallen leaves, grass clippings and general garden debris and with the added function of our vacuum shredder feature, you can collect a pile of waste and shred it down to a fine mulch, which is perfect for fertilising the garden.

26B-SP 260BX 280BVX

Light homeowner use

Regular use - home/landowner



SP Handheld Series

60

The Mitox® SP handheld range offers both blowers and blower vacuums with exceptional value for money.

PREMIUM Handheld Series

62

The Mitox® PREMIUM handheld range offers both blowers and blower vacuums with advanced features and high performance.

PREMIUM Backpack Series

64

The Mitox® PREMIUM backpack blower offers high power for clearing larger areas quickly.

Specification Chart

760BPX

66



SP SELECT BLOWER / VAC SERIES



COLLECTION BAG

The 50 litre collection bag on the 28BV-SP is filled to the brim and is easily emptied via the zipped opening.



SIMPLE OPERATION

The SP blower and blower vacuum have simple controls for ease of use, allowing the user to cover areas quickly and in comfort. The price/performance ratio of the SP models offers unbeatable value for money.




EASY STARTING

Easy starting thanks to a fuel primer bulb and choke. Simply prime and set the choke to closed, then use the recoil starter to fire the powerful 2-stroke engine into life.



METAL SHREDDER

The metal blade of the vacuum impellor, on the 28BV-SP, shreds leaves as they are collected, reducing their volume by approximately 10:1



HIGH BLOW SPEED

The specially designed blowing tube offers high airspeed to quickly move even stubborn, damp leaves.



FULL CRANK ENGINES

Providing superior performance, lower vibration, and considerably longer service life when compared to Half Crank (single bearing) engines, commonly used on low cost domestic garden machinery.



26B-SP SELECT

Art No: MIBV01

A great value leaf blower

The 26B-SP leaf blower is powered by a 25.4cc petrol engine which generates a high blowing speed for efficient leaf clearing. The throttle control function enables comfortable operation for periods of prolonged use. Included with the blower is a flat blower tube, making it ideal for clearing leaves in small focused areas. The blower is also suitable for clearing grass trimmings, light hedge cuttings, sawdust, dirt and debris off garden pathways making it an ideal tool to use all year round.





Engine Type	Displacement	Power Output	Blowing Speed
Air Cooled 2-Stroke	25.4cc	0.7kW	155mph
Fuel Tank Capacity	Fuel / Oil Mixture	Auto Choke Return	Dry Weight
0.65 litres	40:1	No	5.6kg

28BV-SP SELECT

Art No: MIBV05

A great value leaf blower and vacuum

The 28BV-SP leaf blower/vacuum is powered by a 25.4cc petrol engine, which generates a high blowing speed for efficient leaf clearing and collection. The cruise control function enables comfortable operation for periods of prolonged use, whilst the vacuuming function allows quick and thorough clearing thanks to the 50L collection bag and a 10:1 reduction ratio, ensuring maximum efficiency.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Fuel / Oil Mixture
Air Cooled 2-Stroke	25.4cc	0.7kW	0.65 litres	40:1
Blowing Speed	Collection Bag Volume	Reduction Ratio	Auto Choke Return	Dry Weight
155mph	50L	10:1	No	6.2 kg





COLLECTION BAG

The 50 litre collection bag on the 280BVX is filled to the brim and is easily emptied via the zipped opening. With different material on each side, maximum collection ability is guaranteed, whilst the user is protected from wet mulch.



PERFECTLY BALANCED

The design of the engine position and an innovative kinked blower tube, mean that all gyro forces are effectively cancelled out. This means that if the machine is on, or off the throttle, it never pulls to one side.



CRUISE CONTROL

Easy starting thanks to a fuel primer bulb and choke. Simply prime and set the choke to closed, then use the recoil starter to fire the powerful 2-stroke engine into life.



METAL SHREDDER

The metal tri-blade of the vacuum impellor shreds leaves as they are collected, reducing their volume by 12:1.



LOW VIBRATION

The Premium range engine is completely isolated from the handle via a full anti vibration system, which means exceptionally low vibration and comfortable use.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



260BX PREMIUM

Art No: MIBV15

Quick garden and estate tidying

The 260BX blower benefits from a premium, lightweight design and powerful 27.6cc engine. The blower includes 2 different attachments, offering powerful focused airflow, or a wider spread, for more general work. Thanks to the engine being isolated from the handle, the 260BX features an exceptionally low vibration reading and combined with the kinked blower tube, enables extended comfortable use over longer periods of time.







Engine Type	Displacement	Power Output	Blowing Speed
Air Cooled 2-Stroke	27.6cc	0.8kW	161mph (flat), 134mph (round)
Fuel Tank Capacity	Fuel / Oil Mixture	Vibration Level ¹	Dry Weight
0.40 litres	40:1	2.0 m/s ²	4.8kg

280BVX PREMIUM

Art No: MIBV10

Blow and Vacuum for complete garden tidying

The 280BVX benefits from a premium lightweight design and powerful 27.6cc engine and has the added benefit of a vacuum function. Once the blower has been used to concentrate the leaves into one place, simply attach the vacuum tube and collection bag, to switch to vacuum mode. Thanks to the engine being isolated from the handle, the 280BVX features an exceptionally low vibration reading, for extended comfortable use over longer periods of time.





Engine Type	Displacement	Power Output	Fuel Tank Capacity	Fuel / Oil Mixture
Air Cooled 2-Stroke	27.6cc	0.8kW	0.40 litres	40:1
Blowing Speed	Collection Bag Volume	Reduction Ratio	Vibration Level ¹	Dry Weight
161mph (flat), 134mph (round)	50L	12:1	2.0 m/s ²	4.8kg (blower)



PREMIUM BACKPACK BLOWER SERIES



POWER & PERFORMANCE

The 75.6cc Premium engine provides impressive power and when combined with the efficient fan design, it is possible to generate air speeds of over 200mph. This means that even the largest areas can be covered quickly and efficiently.



RUNS LONGER THAN EVER

The large 2.1L fuel tank means the 760BPX can be used for longer periods of time before refilling. Perfect for large areas where efficiency is important.



CRUISE CONTROL

The throttle control features a cruise control trigger, which allows the user to preset the throttle for periods of longer use, reducing fatigue. The handle is also fully adjustable.



COMFORT GUARANTEED

The 760BPX features a full body harness system, with padded shoulder straps and back support, as well as an innovative blower tube harness, to take the weight during use.



CLEAN AIR INTAKE SYSTEM

The commercial grade air filter prevents dust from entering the engine and is easily removed without the need for tools, allowing routine servicing.



PEACE OF MIND

The Mitox® brand offers peace of mind, with its comprehensive 5 year homeowner warranty on PREMIUM products and a network of over 300 service dealers, all with access to next day spare parts support.

*subect to terms and conditions



760BPX PREMIUM

Art No: MIBP10

Cover large areas quickly and efficiently

The Mitox® 760BPX petrol leaf blower is our most powerful leaf blower in the range. Designed for the toughest tasks, for farmers, estates, landowners and contractors, its large air flow and high air speed are provided by an efficient fan design, together with a powerful 75.6cc PREMIUM series engine. Featuring fully adjustable hand controls, cruise control, wide padded harness straps for user comfort and low vibration levels, the 760BPX also allows for use in the commercial environment.





Scan to view on our website



Engine Type	Displacement	Power Output	Blowing Speed
Air Cooled 2-Stroke	75.6cc	3.1kW	205mph
Fuel Tank Capacity	Fuel / Oil Mixture	Vibration Level ¹	Dry Weight
2.10 litres	40:1	2.02 m/s ²	12kg

¹ Equivalent vibration level (ahv, eq)



BLOWER / VACUUM > Specifications











MODEL	26B-SP	28BV-SP	260BX	280BVX	760BPX
Range	SP-SELECT	SP-SELECT	PREMIUM	PREMIUM	PREMIUM
Part Number	MIBV01	MIBV05	MIBV15	MIBV10	MIBP10
Engine	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
Displacement	25.4cc	25.4cc	27.6cc	27.6cc	75.6cc
Power	0.7kW	0.7kW	0.8kW	0.8kW	3.1kW
Carburettor	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
Weight (Blower)	5.6kg	6.2kg	4.8kg	4.8kg	12kg
Sound Level	110dB(A)	110dB(A)	109dB(A)	109dB(A)	112dB(A)
Vibration Level ¹	10.0m/s ²	10.0m/s ²	2.0m/s ²	2.0m/s ²	2.02m/s ²
Spark Plug	Mitox®	Mitox®	Mitox®	Mitox®	Mitox®
Blowing Speed	155mph	155mph	161mph (flat tube)	161mph (flat tube)	205mph
Collection Bag Volume	-	50L	-	50L	-
Reduction Ratio	-	10:1	-	12:1	-
Anti Vibration System	-	•	•	•	•
Tooless Filter Cover	-	-	•	•	•
Fuel / Oil Mixture	40:1	40:1	40:1	40:1	40:1
Fuel Tank Capacity	0.65L	0.65L	0.4L	0.4L	2.3L
Warranty (dom/com)	1 Yr / 90 Day	1 Yr / 90 Day	5 Yr / 90 day	5 Yr / 90 Day	5 Yr / 90 Day



• = Included - = Not Included

Included All details correct at time of print and are subject to change without notice. E & OE.

¹ Equivalent vibration level (ahv, eq)



DID YOU KNOW 80% OF ENGINE PROBLEMS ARE RELATED TO BAD FUEL?

Mitox® recommends the use of B3C fuel solutions to protect your engine from the harmful effects of ethanol in modern fuel. B3C allows you to TEST your fuel, FIX poor running engines and PREVENT issues from reoccuring.

WHY DO I NEED TO PROTECT MY ENGINE FROM FUEL?

Currently in the UK, petrol can contain between 5 - 10% ethanol. High amounts of oxygen in ethanol blended fuels cause the petrol to decay faster. Petrol powered equipment, not treated with an ethanol fuel stabiliser, will become hard to start within 30 days and the petrol begins to decay in as little as 60 days. (Note: This process begins from blending at the refinery, prior to you purchasing the fuel from the forecourt.)

The ethanol in the fuel attracts water, (present in the air, in your fuel tank and storage can, etc). They bond to form a highly corrosive mixture, which can have devastating effects on your engine.

We recommend the use of Ethanol Shield fuel stabiliser, which should be added to petrol as soon as it is purchased. It is highly concentrated, so only requires 8ml (approximately 2 capfulls) per 5ltrs of petrol. Mixed fuel in the engine and storage containers can then be stored for up to 12 months.

For the ultimate protection for your machine, we also recommend adding a Gas Tank Shield to your fuel storage container and/or tractor's fuel tank. This molecular sieve attracts and absorbs water in the fuel and helps to prevent fuel decay.

Scan to view the

After any machine has been stored for a prolonged period of time (over the Winter for example), we recommend the use of Mechanic In A Bottle. This product will help ensure your machinery starts easily and runs smoothly.

For more information on how modern day fuels can affect your machinery and how the fabulous range of products from B3C can protect, optimise performance and increase the life of your machinery, please go to: **www.b3cfuel.co.uk**

TEST

Petrol Test Swabs

Application: A simple swab test that takes just a few minutes, to give an indication as to the condition of fuel, be it Fresh, Marginal, or Bad.



FIX

Mechanic In A Bottle

Application: Suitable for both 2 & 4-stroke engines. It is designed to combat fuel related issues on poor or non-running engines, by revitalising stale fuel, removing water, cleaning carbs and injectors, etc, without the need to disassemble the machine. It is also recommended to be run in machinery, during its first use after being stored for an extended period. (Use poor running dosage). Note: Doesn't fix broken!



PREVENT

Ethanol Shield

Application: Prevent future engine problems with Ethanol Shield. This year round fuel stabiliser is suitable for power equipment with either 2 or 4-stroke engines. The preventative maintenance formula eliminates then prevents ethanol related problems. It removes water, prevents corrosion, reduces engine temperatures, provides easy engine starting all year, keeps stored fuel fresh and extends engine life. Note: This is not a replacement for 2-stroke oil!





Mitox® Garden Machinery UK (Head Office)
AL-KO Gardentech UK
Wincanton Business Park
Wincanton Somerset BA9 9RS

Mitox® Ireland
Denis Wilson of Glenavy
160 Moira Road
Glenavy
Crumlin Co Antrim

www.**mitox**.co.uk

Scan the QR code to find a Mitox agent near you.



facebook.com/MitoxGM